

Software Update Manual

EZI-DAB-GO / EZI-DAB-BT

digitalradio



digitalradio



ALPINE ELECTRONICS GmbH

Wilhelm-Wagenfeld-Str. 1-3, 80807 München, Germany
Phone 089-32 42 640

ALPINE ELECTRONICS OF U.K. LTD.

Alpine House
Fletchamstead Highway, Coventry CV4 9TW, U.K.
www.alpine.co.uk

ALPINE ELECTRONICS France S.A.R.L.

184 allée des Erables
CS 52016 – Villepinte
95 945 Roissy CDG cedex
FRANCE
Phone : + 33(0)1 48 63 89 89

ALPINE ITALIA S.p.A.

Viale Cristoforo Colombo 8,
20090 Trezzano sul Naviglio MI, Italy
Phone +39 02 484781

ALPINE ELECTRONICS DE ESPAÑA, S.A.

Portal de Gamarra 36, Pabellón, 32
01013 Vitoria (Alava)-APDO 133, Spain
Phone 945-283588



Introduction

This manual describes the steps required for updating the firmware. Read all warnings and steps carefully before performing the update. Please actualize also your PureGo app on your smartphone. Please follow the instructions on your mobile phone.

Improvements

The update improves the following points:

- Play/Pause function during DAB playback
- System improvements

Warning



**WARNING – Do NOT update the firmware while driving!
ACC OFF, removal of power, or unplugging of the USB cable during the update process will damage your device! Make sure you have a stable power supply!**

Requirements



- Laptop with Windows operating system. If you don't have a laptop, you will need to remove the EZI DAB GO/BT from your windscreen and upgrade the software using a running Windows PC
- Update file

Download the Firmwarefile


Open the web browser on your laptop and go to your local Alpine support side. When you download the file to your computer it will arrive as a compressed file (.ZIP) that will need decompressing. Use a decompression tool like WinZip to decompress (or 'unpack') the file, and save the file to a location on your computer that you will easily find. There is only a single .dfu file in the zip to save.

Preparing the update

1. Disconnect the USB cable from EZI-DAB-GO/BT power adapter and plug it in an available USB port on your laptop/PC
2. Open the .exe file on your PC/laptop and you will see the screens below




3. Next, you'll need to put your EZI-DAB GO/BT into USB mode. Press the **HOME** button on the wireless controller and turn and press the **Select** dial to choose '**SETTINGS**' > '**USB UPDATE**' > confirm by choosing '**YES**'. The screen displays '**ANTENNA CONNECTING**'
4. Press the '**Return**' button on your laptop/PC.
5. You will see the picture below.
You will be asked '**Do you want to upgrade all?**'
Press '**Y**' and then press the '**Return**' button on your laptop/PC



Updating the firmware

- The update will start. Your laptop screen will show you the progress of the update
- If the update is finished you will see the picture below



```
C:\Windows\system32\cmd.exe
Waiting for device attempt 0 / 10
Waiting for 0 seconds, press a key to continue ...
Update
-----
HidDfuCmd.exe, version 2.6.0.450 Release
Copyright Cambridge Silicon Radio Limited 2012 - 2015.
Found 1 devices. Do you want to upgrade all? <y/n> y
upgrade succeeded
Device reset succeeded
Highway successfully upgraded. Please remove from PC
Press enter to close
```

- Push the **'Enter'** button on your PC/laptop and you will see the picture below



- Please push the **'OK'** button
- Finally, disconnect the EZI DAB GO/BT from your PC/laptop and connect your EZI-DAB GO/BT to your power supply from you car